

ECAT FOUNDATION

External quality Control for Assays and Tests

With a focus on Thrombosis and Haemostasis


REPORT



SURVEY 2024-MIX4 APTT/PT Mixing Test report Labcode 606

Copyright © 2024
ECAT Foundation

Date of Issue : 24-December-2024
Survey : 2024-MIX4
Report : APTT/PT Mixing Test

**Note:**

In the Survey Manual 2024 detailed information is given regarding the ECAT external quality assessment programme, including the statistical evaluation and explanation of the report.

This Survey Manual 2024 should be considered as an integral part of this survey report.

Please notice the information regarding the homogeneity of samples used and the between-laboratory variation in the paragraph on the statistical evaluation of the Survey Manual.

General Information**Mean Reference Interval**

For the interpretation of the mixing test results, the ratio of the mixing test over the mean of the reference interval (MRI) is calculated.

If a mixing test result for APTT or PT is reported, it is mandatory to report also the corresponding MRI. The MRI is the average value of the lower and upper limit of the reference interval.

Exclusion of results

Results < [value] or > [value] are excluded from the statistical analysis. When other results (e.g. deviating results) are excluded from the statistical analysis, these results are placed between brackets.

Participants **123** and **985** reported deviating MRI values for both APTT and PT probably by mixing up the values. These MRI's were excluded and as a result of this no ratios were calculated.

Complaints

Any complaints regarding this survey report should be reported to the ECAT before **March 6th 2025**. Complaints received after this date will not be taken into consideration.

This report is authorized by:

Dr. P.Meijer
Director

Note: A printed version of the actual Survey Manual is provided to all participants once a year. This manual can also be downloaded from the member section of the ECAT website.

ECAT Foundation

Director: Dr. P. Meijer
ECAT Office
P.O. Box 107
2250 AC Voorschoten, The Netherlands
phone +31 (0) 71 3030 910; fax +31 (0) 71 3030 919
E-mail: info@ecat.nl
Website: www.ecat.nl
VAT number: NL802836872B01

Registration number with the Chamber of Commerce (KvK) Gouda : 41174102
General terms of delivery are applicable to all our services.

All rights reserved. No part of this report may be reproduced, stored in a retrieval system, or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission from the ECAT Foundation.
Appendices are an integral part of the total report.