


ECAT FOUNDATION

External quality Control for Assays and Tests

With a focus on Thrombosis and Haemostasis

REPORT



SURVEY 2024-H2

Haemophilia

Labcode 606

Copyright © 2024
ECAT Foundation

Date of Issue : 29-July-2024

Survey : 2024-H2

Report : Haemophilia

Note:

In the Survey Manual 2024 detailed information is given regarding the ECAT external quality assessment programme , including the statistical evaluation and explanation of the report.

This Survey Manual 2024 should be considered as an integral part of this survey report.

Please notice the information regarding the homogeneity of samples used and the between-laboratory variation in the paragraph on the statistical evaluation of the Survey Manual.

General Information

Complaints

Any complaints regarding this survey report should be reported to the ECAT before **September 19th, 2024**.

Complaints received after this date will not be taken into consideration.

Multiple instruments

From 2019 you have the possibility to submit per parameter results for three different instruments and or methods .

However, some participants have submitted three times the same results, suggesting that this are separate results. This is not the case and may affect the statistical analysis . We have excluded the results from the second and third test system from the statistical analysis. Do not submit multiple times the same results anymore in future surveys.

Exclusion of results

Results < [value] or > [value] are excluded from the statistical analysis.

When other results (e.g. deviating results) are excluded from the statistical analysis, these results are placed between brackets.

Emicizumab, Esperoct, NovoEight and Refixia

Because of the limited number of results for these parameters, the minimum number used for the calculation of the CV and Z-score is 5.

This report is authorized by: Dr. P.Meijer (Director)

Note: The actual Survey Manual can be downloaded by going to the "Participant Area" of the ECAT website, login and go to the option "View Documents".

ECAT Foundation

Director: Dr. P. Meijer
ECAT Office
P.O. Box 107
2250 AC Voorschoten, The Netherlands
phone +31 (0) 71 3030 910; fax + 31 (0) 71 3030 919
E-mail: info@ecat.nl
Website: www.ecat.nl
VAT number: NL802836872B01

Registration number with the Chamber of Commerce (KvK) Gouda : 41174102
General terms of delivery are applicable to all our services.