

## **Publikationen 2008 der Klinik für Kinder- und Jugendmedizin**

- Buck Louis, G.M., Gray, L.E., Marcus, M. Jr., Ojeda, S.R., Pescovitz, O.H., Witchel, S.F., Sippell, W., Abbott, D.H., Soto, A., Tyl, R.W., Bourguignon, J.P., Skakkebaek, N.E., Swan, S.H., Golub, M.S., Wabitsch, M., Toppari, J. & Euling, S.Y. Environmental factors and puberty timing: expert panel research needs. **Pediatrics**. 121 Suppl 3:S192-207 (2008).
- Cario, H., Schwarz, K., Herter, J.M., Komrska, V., McMullin, M.F., Minkov, M., Niemeyer, C., Pospisilova, D., Reinhard, H., Debatin, K.M. & Pahl, H.L. Clinical and molecular characterisation of a prospectively collected cohort of children and adolescents with polycythemia vera. **Br. J. Haematol.** 142, 622-626 (2008).
- Dawczynski, K., Steinbach, D., Wittig, S., Pfaffendorf, N., Kauf, E. & Zintl, F. Expression of components of the IGF axis in childhood acute myelogenous leukemia. **Pediatr. Blood Cancer** 50, 24-28 (2008).
- Debatin, K.M., Wei, J. & Beltinger, C. Endothelial progenitor cells for cancer gene therapy. **Gene Ther.** 15, 780-786 (2008).
- Dechant, M.J., Scheuerpflug, C.G., Pauly, E., van der Werff Ten Bosch, J., Debatin, K.M. & Fellenberg, J. Screening, identification, and functional analysis of three novel missense mutations in the TRADD gene in children with ALL and ALPS. **Pediatr. Blood Cancer** 51, 616-620 (2008).
- Ehrhardt, H., Hacker, S., Wittmann, S., Maurer, M., Borkhardt, A., Toloczko, A., Debatin, K.M., Fulda, S. & Jeremias, I. Cytotoxic drug-induced, p53-mediated upregulation of caspase-8 in tumor cells. **Oncogene** 27, 783-793 (2008).
- Erdos, M., Garami, M., Rakoczi, E., Zalatnai, A., Steinbach, D., Baumann, U., Kropshofer, G., Toth, B. & Marodi, L. Neuroendocrine carcinoma associated with X-linked hyperimmunoglobulin M syndrome: report of four cases and review of the literature. **Clin. Immunol.** 129, 455-461 (2008).
- Fischer-Posovszky, P., Kukulus, V. & Wabitsch, M. [Conjugated linoleic acids (CLA) and their relevance in the reduction of body fat. A critical review of the currently available data]. **MMW Fortschr Med.** 149 Suppl 4:128-131 (2008).
- Fischer-Posovszky, P., Newell, FS., Wabitsch, M., Tornqvist, HE. Human SGBS cells - a unique tool for studies of human fat cell biology. **Obesity Facts**. 1:184-189 (2008).
- Friesen, C., Lubatschofski, A., Glatting, G., Debatin, K.M. & Reske, S.N. Activation of intrinsic apoptotic pathway by Re-188 irradiation and paclitaxel in coronary artery smooth muscle cells. **Q J Nucl Med Mol Imaging** 52, 289-295 (2008).
- Friesen, C., Uhl, M., Pannicke, U., Schwarz, K., Miltner, E. & Debatin, K.M. DNA-ligase IV and DNA-protein kinase play a critical role in deficient caspases activation in apoptosis-resistant cancer cells by using doxorubicin. **Mol Biol Cell** 19, 3283-3289 (2008).
- Fulda, S. Bypassing Cancer Resistance by Antagonizing Inhibitor of Apoptosis Proteins (IAPs). **Curr. Signal Transduction Ther.** 3, 168-173 (2008).
- Fulda, S. Betulinic Acid for cancer treatment and prevention. **Int J Mol Sci** 9, 1096-1107 (2008).
- Fulda, S. Modulation of TRAIL-induced apoptosis by HDAC inhibitors. **Curr. Cancer Drug Targets** 8, 132-140 (2008).
- Fulda, S. Targeting apoptosis resistance in rhabdomyosarcoma. **Curr. Cancer Drug Targets** 8, 536-544 (2008).

- Gambineri, E., Perroni, L., Passerini, L., Bianchi, L., Doglioni, C., Meschi, F., Bonfanti, R., Sznajer, Y., Tommasini, A., Lawitschka, A., Junker, A., Dunstheimer, D., Heidemann, P.H., Cazzola, G., Cipolli, M., Friedrich, W., Janic, D., Azzi, N., Richmond, E., Vignola, S., Barabino, A., Chiumello, G., Azzari, C., Roncarolo, M.G. & Bacchetta, R. Clinical and molecular profile of a new series of patients with immune dysregulation, polyendocrinopathy, enteropathy, X-linked syndrome: inconsistent correlation between forkhead box protein 3 expression and disease severity. **J Allergy Clin Immunol** 122, 1105-1112 e1101 (2008).
- Gatz, S.A., Keimling, M., Baumann, C., Dork, T., Debatin, K.M., Fulda, S. & Wiesmuller, L. Resveratrol modulates DNA double-strand break repair pathways in an ATM/ATR-p53- and -Nbs1-dependent manner. **Carcinogenesis** 29, 519-527 (2008).
- Gatz, S.A. & Wiesmuller, L. Take a break--resveratrol in action on DNA. **Carcinogenesis** 29, 321-332 (2008).
- Group, E.C.W. Genetic aspects of female reproduction. **Hum Reprod Update** 14, 293-307 (2008).
- Gruhn, B., Taub, J.W., Ge, Y., Beck, J.F., Zell, R., Hafer, R., Hermann, F.H., Debatin, K.M. & Steinbach, D. Prenatal origin of childhood acute lymphoblastic leukemia, association with birth weight and hyperdiploidy. **Leukemia** 22, 1692-1697 (2008).
- Horenburg, S., Fischer-Posovszky, P., Debatin, K.M. & Wabitsch, M. Influence of sex hormones on adiponectin expression in human adipocytes. **Horm. Metab. Res.** 40, 779-786 (2008).
- Iwata, T., Kuwajima, M., Sukeno, A., Ishimaru, N., Hayashi, Y., Wabitsch, M., Mizusawa, N., Itakura, M. & Yoshimoto, K. YKL-40 is involved in remodeling extracellular matrix of adipose tissue by inhibiting activity of matrix metalloproteinase-1. **Biochem Biophys Res Commun.** 2009 Oct 23;388(3):511-6.
- I'Allemand, D., Wiegand, S., Reinehr, T., Muller, J., Wabitsch, M., Widhalm, K. & Holl, R. Cardiovascular risk in 26,008 European overweight children as established by a multicenter database. **Obesity (Silver Spring)** 16, 1672-1679 (2008).
- Kappe, T., Papp, J., Rozsasi, A., Leiacker, R., Rettinger, G. & Keck, T. Nasal conditioning after endonasal surgery in chronic rhinosinusitis with nasal polyps. **Am. J. Rhinol.** 22, 89-94 (2008).
- Karges, B., Muche, R., Moritz, M., Rieger, I., Debatin, K.M., Heinze, E., Wabitsch, M. & Karges, W. Low discomfort and pain associated with intensified insulin therapy in children and adolescents. **Diabetes Res. Clin. Pract.** 80, 96-101 (2008).
- Kasperczyk, H., Baumann, B., Debatin, K.M. & Fulda, S. Characterization of sonic hedgehog as a novel NF-kappaB target gene that promotes NF-kappaB-mediated apoptosis resistance and tumor growth in vivo. **FASEB J.** 23, 21-33 (2009).
- Kintscher, U., Hartge, M., Hess, K., Foryst-Ludwig, A., Clemenz, M., Wabitsch, M., Fischer-Posovszky, P., Barth, T.F., Dragun, D., Skurk, T., Hauner, H., Bluher, M., Unger, T., Wolf, A.M., Knippschild, U., Hombach, V. & Marx, N. T-lymphocyte infiltration in visceral adipose tissue: a primary event in adipose tissue inflammation and the development of obesity-mediated insulin resistance. **Arterioscler. Thromb. Vasc. Biol.** 28, 1304-1310 (2008).
- Mauer, U.M., King'ori, C., Hummler, H. & Kunz, U. Surgery without assistance in newborns and infants with hydrocephalus and neural tube defects. **Pediatr Neurosurg** 44, 199-203 (2008).
- Meyer, L.H., Queudeville, M., Eckhoff, S.M., Creutzig, U., Reinhardt, D., Karawajew, L.,

- Ludwig, W.D., Stahnke, K. & Debatin, K.M. Intact apoptosis signaling in myeloid leukemia cells determines treatment outcome in childhood AML. **Blood** 111, 2899-2903 (2008).
- Nagel, G., Rapp, K., Wabitsch, M., Buchele, G., Kroke, A., Zollner, I., Weiland, S.K. & Koenig, W. Prevalence and cluster of cardiometabolic biomarkers in overweight and obese schoolchildren: results from a large survey in southwest Germany. **Clin. Chem.** 54, 317-325 (2008).
- Opel, D., Westhoff, M.A., Bender, A., Braun, V., Debatin, K.M. & Fulda, S. Phosphatidylinositol 3-kinase inhibition broadly sensitizes glioblastoma cells to death receptor- and drug-induced apoptosis. **Cancer Res.** 68, 6271-6280 (2008).
- Ozsahin, H., Cavazzana-Calvo, M., Notarangelo, L.D., Schulz, A., Thrasher, A.J., Mazzolari, E., Slatter, M.A., Le Deist, F., Blanche, S., Veys, P., Fasth, A., Bredius, R., Sedlacek, P., Wulffraat, N., Ortega, J., Heilmann, C., O'Meara, A., Wachowiak, J., Kalwak, K., Matthes-Martin, S., Gungor, T., Ikinciogullari, A., Landais, P., Cant, A.J., Friedrich, W. & Fischer, A. Long-term outcome following hematopoietic stem-cell transplantation in Wiskott-Aldrich syndrome: collaborative study of the European Society for Immunodeficiencies and European Group for Blood and Marrow Transplantation. **Blood** 111, 439-445 (2008).
- Papp, J., Leiacker, R., Keck, T., Rozsasi, A. & Kappe, T. Nasal-air conditioning in patients with chronic rhinosinusitis and nasal polyposis. **Arch. Otolaryngol. Head Neck Surg.** 134, 931-935 (2008).
- Porter, J., Galanello, R., Saglio, G., Neufeld, E.J., Vichinsky, E., Cappellini, M.D., Olivieri, N., Piga, A., Cunningham, M.J., Soulieres, D., Gattermann, N., Tchernia, G., Maertens, J., Giardina, P., Kwiatkowski, J., Quarta, G., Jeng, M., Forni, G.L., Stadler, M., Cario, H., Debusscher, L., Della Porta, M., Cazzola, M., Greenberg, P., Alimena, G., Rabault, B., Gathmann, I., Ford, J.M., Alberti, D. & Rose, C. Relative response of patients with myelodysplastic syndromes and other transfusion-dependent anaemias to deferasirox (ICL670): a 1-yr prospective study. **Eur J Haematol** 80, 168-176 (2008).
- Reinehr, T., Wabitsch, M., Kleber, M., de Sousa, G., Denzer, C. & Toschke, A.M. Parental diabetes, pubertal stage, and extreme obesity are the main risk factors for prediabetes in children and adolescents: a simple risk score to identify children at risk for prediabetes. **Pediatr Diabetes** 2008; 10:395-400 (2008).
- Reinehr, T., Holl, R. & Wabitsch, M. The German Working Group of Obesity in Childhood and Adolescence (AGA): Improving the Quality of Care for Overweight and Obese Children in Germany. **Obesity Facts**. 1/08:0 (2008).
- Rudy, A., Lopez-Anton, N., Barth, N., Pettit, G.R., Dirsch, V.M., Schulze-Osthoff, K., Rehm, M., Prehn, J.H., Vogler, M., Fulda, S. & Vollmar, A.M. Role of Smac in caspase-3 induced cell death. **Cell Death Differ.** 15, 1930-1940 (2008).
- Schmidt, K., Schulz, A.S., Debatin, K.M., Friedrich, W. & Classen, C.F. CNS complications in children receiving chemotherapy or hematopoietic stem cell transplantation: retrospective analysis and clinical study of survivors. **Pediatr. Blood Cancer** 50, 331-336 (2008).
- Schuetz, C., Huck, K., Gudowius, S., Megahed, M., Feyen, O., Hubner, B., Schneider, D.T., Manfras, B., Pannicke, U., Willemze, R., Knuchel, R., Gobel, U., Schulz, A., Borkhardt, A., Friedrich, W., Schwarz, K. & Niehues, T. An immunodeficiency disease with RAG mutations and granulomas. **N. Engl. J. Med.** 358, 2030-2038 (2008).
- Sigge, A., Schmid, M., Mauerer, S. & Spellerberg, B. Heterogeneity of hemolysin expression during neonatal Streptococcus agalactiae sepsis. **J Clin Microbiol** 46, 807-809 (2008).

- Speckmann, C., Pannicke, U., Wiech, E., Schwarz, K., Fisch, P., Friedrich, W., Niehues, T., Gilmour, K., Buiting, K., Schlesier, M., Eibel, H., Rohr, J., Superti-Furga, A., Gross-Wieltsch, U. & Ehl, S. Clinical and immunologic consequences of a somatic reversion in a patient with X-linked severe combined immunodeficiency. **Blood** 112, 4090-4097 (2008).
- Steinbach, D. & Debatin, K.M. What do we mean by sensitivity when we talk about detecting minimal residual disease? **Leukemia** 22, 1638-1639 (2008).
- Steinmacher, J., Pohlandt, F., Bode, H., Sander, S., Kron, M. & Franz, A.R. Neurodevelopmental follow-up of very preterm infants after proactive treatment at a gestational age of > or = 23 weeks. **J. Pediatr.** 152, 771-776, 776 e771-772 (2008).
- Strauss, G., Westhoff, M.A., Fischer-Posovszky, P., Fulda, S., Schanbacher, M., Eckhoff, S.M., Stahnke, K., Vahsen, N., Kroemer, G. & Debatin, K.M. 4-hydroperoxy-cyclophosphamide mediates caspase-independent T-cell apoptosis involving oxidative stress-induced nuclear relocation of mitochondrial apoptogenic factors AIF and EndoG. **Cell Death Differ.** 15, 332-343 (2008).
- Ushmorov, A., Hogarty, M.D., Liu, X., Knauss, H., Debatin, K.M. & Beltinger, C. N-myc augments death and attenuates protective effects of Bcl-2 in trophically stressed neuroblastoma cells. **Oncogene** 27, 3424-3434 (2008).
- Valls-i-Soler, A., Carnielli, V., Claris, O., de la Cruz Bertolo, J., Halliday, H.L., Hallman, M., Hummler, H. & Weindling, M. EuroNeoStat: a European information system on the outcomes of care for very-low-birth-weight infants. **Neonatology** 93, 7-9 (2008).
- Vogler, M., Walczak, H., Stadel, D., Haas, T.L., Genze, F., Jovanovic, M., Gschwend, J.E., Simmet, T., Debatin, K.M. & Fulda, S. Targeting XIAP bypasses Bcl-2-mediated resistance to TRAIL and cooperates with TRAIL to suppress pancreatic cancer growth in vitro and in vivo. **Cancer Res.** 68, 7956-7965 (2008).
- von Puttkamer, J., Karges, B., Wudy, S. & Wabitsch, M. McCune-Albright syndrome with male premature pubarche of unusual origin. **Horm Res** 69, 312-316 (2008).
- Von Schnurbein, J., Lahr, G., Posovszky, C., Debatin, K.M. & Wabitsch, M. Novel homozygous AIRE mutation in a German patient with severe APECED. **J Pediatr Endocrinol Metab** 21, 1003-1009 (2008).
- Wabitsch, M. Adipositas und Typ-2-Diabetes im Kindes- und Jugendalter. **Med Welt** 11: (2008).
- Wabitsch, M., Fischer-Posovszky, P. Grundlagen Fettgewebsforschung und Adipozytokine. **Gynäkologische Endokrinologie**. 6:6-13 (2008)
- Wahl, J., Debatin, K.M. & Beltinger, C. Tumorstammzellen: Grundlagen, klinische Implikationen und Kontroversen. **Onkopipeline** 1 (2008).
- Weaver, R.E., Donnelly, D., Wabitsch, M., Grant, P.J. & Balmforth, A.J. Functional expression of glucose-dependent insulinotropic polypeptide receptors is coupled to differentiation in a human adipocyte model. **Int J Obes (Lond)** 32, 1705-1711 (2008).
- Westhoff, M.A., Zhou, S., Bachem, M.G., Debatin, K.M. & Fulda, S. Identification of a novel switch in the dominant forms of cell adhesion-mediated drug resistance in glioblastoma cells. **Oncogene** 27, 5169-5181 (2008).
- Weyhreter, H., Holl, R.W., Beerstecher, A.M., Borsch, M. & Studiengruppe Interventionen zur Unterstützung der Regelversorgung von Kindern und Jugendlichen mit Diabetes Typ I - Indikationen, Inanspruchnahme und Effekte: Ergebnisse einer multizentrischen Beobachtungsstudie. **Klin. Padiatr.** 220, 70,76 (2008).

